ARMAC MARTIN™

How to install your Grove Hook

We recommend using a qualified tradesman for installation.

Contents

Hook- x1

Wall plugs - x1



Tools Required

- Appropriate safety equipment i.e. safety glasses
- Drill
- Tape measure
- Pencil
- Hammer

Fitting to a Wall:

Step One - Safety

Use a wire/pipe power detector to ensure that there are no electrical cables or water pipes where you intend to position the hook.

Step Two - Positioning of your hook

Use a tape measure and find a suitable position for your hook.

Step Three - Marking the area

Use a pencil to draw a small cross where you intend to mount the hook.

Step Four - Drill into the wall

Use a masonry drill for stone, brick or breezeblock walls. Drill into the walls on the dead centre point of your mark. If using the wall plug supplied, we recommend drilling a 5mm diameter hole.

Step Five - Insert wall plugs

Insert the wall plugs into the drilled hole. Ensure that the wall plugs are fully inserted and they sit flush to the wall – tap gently with a hammer if necessary. If any of your wall plugs are sticking out, they will prevent your hook from sitting flush to the wall when mounted.

Step Six - Fix Hook to the wall

Screw hook to the wall.



Fitting to Wood:

Step One - Positioning of your hook

Use a tape measure and find a suitable position for your hook.

Step Two - Marking the area

Use a pencil to draw a small cross where you intend to mount the hook.

Step Three - Drilling a pilot hole

Use a wood drill bit no bigger than 2mm diameter. Drill into the wood on the dead centre point of your mark. This will make it easier to screw the hook in.

Step Four - Fix Hook to the wall

Screw hook to the wood.



Finish Care & Cleaning

Thank you for purchasing your Grove Hook from Armac Martin.
Our products are of the finest quality and hand finished.

Please follow the below care guide to maintain the condition of the product.

- Wipe your product down with a soft dry cloth.
- Do not use abrasive cleaners, ammoniated products, rubbing alcohol, detergents, astringents, bleach based cleaners, aggressive chemicals, abrasive cleaning pads, or harsh polishes on the product.